



**A TREATMENT THAT STAYS ON TRACT.**

ENTYVIO works by focusing right in the GI tract to help control damaging inflammation.

- **APPROVED JUST FOR UC AND CROHN'S**
- **WORKS AT THE SITE OF INFLAMMATION IN THE GI TRACT**
- **PROVEN TO PROVIDE SYMPTOM RELIEF AND REMISSION**

*Individual results may vary.*

**HOW ENTYVIO WORKS**

**GI-Directed White Blood Cells**

There are certain white blood cells that are directed to enter the GI tract. In people with UC and CD, the increased number of these cells causes inflammation and certain symptoms.

**ENTYVIO's Focus**

ENTYVIO works to block the movement of these gut-directed white blood cells into the GI tract. This helps to control inflammation and symptoms of UC and CD.

**ENTYVIO INFUSIONS ARE ABOUT 30 MINUTES EACH, WITH AN ANNUAL INFUSION TIME OF APPROXIMATELY 4 HOURS FOR THE FIRST YEAR.**

ENTYVIO 300 mg infusions last approximately 30 minutes and are given through a needle placed in a vein (IV) in your arm. ENTYVIO is administered by a healthcare provider, either at the healthcare provider's office, at an infusion center, or at home. Your healthcare provider will monitor you during and after the ENTYVIO infusion for side effects to see if you have a reaction to the treatment.

**STARTING DOSES**

You will be given 3 starting doses, 30 minutes each, at week 0, 2 and 6 to begin your treatment.

**MAINTENANCE DOSES**

After your starting doses, you'll get one 30-minute infusion every 8 weeks in order to help keep your disease under control.

**EntyvioCONNECT**

**EntyvioConnect: SUPPORT WHEN YOU NEED IT.**

Created to support you through every step of your ENTYVIO journey, *EntyvioConnect* offers resources and useful tips to help you manage your condition. When you enroll in *EntyvioConnect*, you may be able to access savings and financial assistance as well as receive support from your own dedicated registered nurse. So whether you have questions or just need someone to talk to, *EntyvioConnect* is here for you.

**EntyvioConnect FINANCIAL SUPPORT:**

*EntyvioConnect* Financial Support offers help no matter what your financial situation may be.

**Commercial insurance (PPO or HMO)**

If you have commercial insurance, you can take advantage of our co-pay program to pay as little as \$5 per dose of ENTYVIO.\*

**Government insurance (Medicare, Medicaid, TriCARE, etc.)**

If you have government insurance, you may be eligible to receive financial assistance from an independent co-pay foundation.

**No insurance**

If you have no insurance or are underinsured, you may be able to receive assistance from the Takeda Patient Assistance Program.



\*For commercially insured patients who qualify, as part of EntyvioConnect Financial Support. Eligibility Requirements: This offer cannot be used if you are a beneficiary of, or any part of your prescription is covered by: 1) any federal, state, or government-funded healthcare program (for example, Medicare, Medicaid, TriCARE), including a state pharmaceutical assistance program/the Federal Employees Health Benefit (FEHB) Program is not a government-funded healthcare program for the purpose of this offer; 2) the Medicare Prescription Drug Program (Part D), or if you are currently in the coverage gap; or 3) insurance that is paying the entire cost of the prescription.

- Please let your healthcare provider know if you have any insurance changes.
- To learn more about ENTYVIO call 1-844-ENTYVIO or go to [www.ENTYVIO.com/signup](http://www.ENTYVIO.com/signup) and follow us on social media.

**USES OF ENTYVIO® (vedolizumab):**

ENTYVIO is a prescription medicine used in adults:

- **with moderate to severe ulcerative colitis (UC) when certain other UC medicines have not worked well enough or cannot be tolerated. ENTYVIO may help to:** begin reducing some symptoms, induce and maintain remission, reduce or stop the use of corticosteroids, and improve the way the lining of your large intestine looks to your healthcare provider.
- **with moderate to severe Crohn's disease (CD) when certain other CD medicines have not worked well enough or cannot be tolerated. ENTYVIO may help to:** begin reducing some symptoms, achieve remission, and reduce or stop the use of corticosteroids.

**SAFETY CONSIDERATIONS**

Do not receive ENTYVIO if you have had an allergic reaction to ENTYVIO or any of its ingredients. Infusion and serious allergic reactions can happen while you are receiving ENTYVIO or several hours after treatment. ENTYVIO may increase your risk of getting a serious infection.

**Please see Important Safety Information on page 2.**

#### **IMPORTANT SAFETY INFORMATION ABOUT ENTYVIO<sup>®</sup> (vedolizumab)**

- Do not receive ENTYVIO if you have had an allergic reaction to ENTYVIO or any of its ingredients.
- ENTYVIO may cause serious side effects, including:
  - Infusion and serious allergic reactions can happen while you are receiving ENTYVIO or several hours after treatment. You may need treatment if you have an allergic reaction. Tell your healthcare provider or get immediate medical help if you get any of these symptoms during or after an infusion of ENTYVIO: rash, itching, swelling of your lips, tongue, throat or face, shortness of breath or trouble breathing, wheezing, dizziness, feeling hot, or palpitations (feel like your heart is racing).
  - ENTYVIO may increase your risk of getting a serious infection. Before receiving and during treatment with ENTYVIO, tell your healthcare provider if you think you have an infection or symptoms of an infection, such as fever, chills, muscle aches, cough, shortness of breath, runny nose, sore throat, red or painful skin or sores on your body, tiredness, or pain during urination.
  - It may be possible for a person to get progressive multifocal leukoencephalopathy (PML) (a rare, serious brain infection caused by a virus). People with weakened immune systems can get PML, which can result in death or severe disability. There is no known treatment, prevention, or cure for PML. Tell your healthcare provider right away if you have any of the following symptoms: confusion or problems thinking, loss of balance, change in the way you walk or talk, decreased strength or weakness on one side of the body, blurred vision, or loss of vision.
  - Liver problems can happen in people who receive ENTYVIO. Tell your healthcare provider right away if you have any of the following symptoms: tiredness, loss of appetite, pain on the right side of your abdomen, dark urine, or yellowing of the skin and eyes (jaundice).
- The most common side effects of ENTYVIO include common cold, headache, joint pain, nausea, fever, infections of the nose and throat, tiredness, cough, bronchitis, flu, back pain, rash, itching, sinus infection, throat pain, and pain in extremities. These are not all the possible side effects of ENTYVIO. Call your healthcare provider for medical advice about side effects.
- Before receiving ENTYVIO, tell your healthcare provider about all of your medical conditions, including if you: have or think you may have an infection or have infections that keep coming back; have liver problems; have tuberculosis (TB) or have been in close contact with someone with TB; have recently received or are scheduled to receive a vaccine; or if you are pregnant, breastfeeding, plan to become pregnant, or plan to breastfeed.

**Click here for Full Prescribing Information, including the Medication Guide, for ENTYVIO and talk with your healthcare provider.**

**FOR MORE INFORMATION, PLEASE VISIT ENTYVIO.COM.**

Entyvio is a trademark of Millennium Pharmaceuticals, Inc., registered with the U.S. Patent and Trademark Office, and is used under license by Takeda Pharmaceuticals America, Inc. All other trademarks are the property of their respective owners.