

EntyvioConnect offers your patients support throughout their treatment journey

Programs and services for patients prescribed ENTYVIO



Insurance Support

Benefits investigation

Prior authorization (PA) assistance

Appeals and denials assistance



EntyvioConnect Co-Pay Program

Allows commercially insured, eligible patients to pay as little as \$5 per dose up to the maximum annual program benefit.

Please read the full terms and conditions for the Co-Pay Program on [page 3](#).



Nurse Support

Patients can opt in to be paired with a Nurse Educator and receive guidance and resources throughout their treatment on ENTYVIO. ENTYVIO Pen injection education can also be provided either virtually or in-home when applicable. Our nurses do not provide medical advice.



For Patients With a Denied PA

Start Program*: Provides ENTYVIO intravenous (IV) at no cost for up to 1 year while appeals process is conducted.

Eligibility

- Available to newly diagnosed patients only
- Denial must have been from a commercial health plan
- Evidence of appeal activity must be sent to *EntyvioConnect* throughout the year
- Available for IV infusions only



For Patients With a Lapse in Coverage

Bridge Program*: Provides ENTYVIO at no cost for up to 6 months if patient experiences a temporary loss or gap in commercial coverage.

Eligibility

- Patient must have been on ENTYVIO prior to coverage loss
- ENTYVIO coverage was from a commercial health plan
- Available for IV infusions or self-administered subcutaneous injections (ulcerative colitis patients only)



Text Updates

Patients can opt in to get important updates via text directly from *EntyvioConnect*.

INDICATIONS

For adult patients with moderately to severely active ulcerative colitis (UC) or Crohn's disease (CD) when other therapies have not worked well enough or cannot be tolerated.

IMPORTANT SAFETY INFORMATION

CONTRAINDICATIONS

ENTYVIO is contraindicated in patients who have had a known serious or severe hypersensitivity reaction to ENTYVIO or any of its excipients.

Please see additional Important Safety Information on [page 4](#).

*Additional eligibility requirements may apply.

EntyvioConnect offers your patients support throughout their treatment journey

Getting patients signed up for *EntyvioConnect* is easy.



EntyvioConnect Portal

The easiest and quickest way to sign your patients up for *EntyvioConnect* is directly in the online portal at EntyvioConnectportal.com. If you do not have an account yet, ask your field reimbursement manager to help you get set up.



By Fax

You and your patient can also complete the **enrollment form** together at your office and then fax it to: **1-877-488-6814**.



Co-Pay Program and Nurse Support

If your patient wants to enroll in these *EntyvioConnect* programs on their own, they can sign up at Entyvio.com/Register.



EntyvioConnect Co-Pay Program Terms and Conditions

The *EntyvioConnect* Co-Pay Program (“Co-Pay Program”) provides financial support for commercially insured patients who qualify for the Co-Pay Program. Participation in the Co-pay Program and provision of financial support is subject to all Co-Pay Program terms and conditions, including but not limited to eligibility requirements, the maximum benefit per claim and the Maximum Annual Benefit. By enrolling in the Co-Pay Program, you agree that the program is intended solely for the benefit of you—not health plans and/or their partners. Further, you agree to comply with all applicable requirements of your health plan. The Co-Pay Program cannot be used if the patient is a beneficiary of, or any part of the prescription is covered by: 1) any federal, state, or government-funded healthcare program (Medicare, Medicare Advantage, Medicaid, TRICARE, etc.), including a state pharmaceutical assistance program (the Federal Employees Health Benefit (FEHB) Program is not a government-funded healthcare program for the purpose of this offer), 2) the Medicare Prescription Drug Program (Part D), or if the patient is currently in the coverage gap, or 3) insurance that is paying the entire cost of the prescription. Takeda reserves the right to change or end the Co-Pay Program at any time without notice, and other terms and conditions may apply.

If you have enrolled in an accumulator adjustment, co-pay maximizer, or similar program that purports to help manage costs or later learn that your insurance company or health plan has implemented such a program, you agree to inform *EntyvioConnect* at 1-844-368-9846. In an accumulator adjustment program, payments made by you that are subsidized by a manufacturer co-pay assistance program do not count toward your deductibles and other out-of-pocket cost-sharing obligations. In a co-pay maximizer program, the amount of your out-of-pocket cost obligation is increased to match support offered by a manufacturer co-pay assistance program. It may be possible that you are unaware whether you are subject to these programs when you enroll in the Co-Pay Program. Takeda will monitor program utilization data and reserves the right to discontinue assistance under the Co-Pay Program at any time if Takeda determines that you are subject to a co-pay maximizer, accumulator, or similar program.

The Maximum Annual Benefit under the Co-Pay Program is subject to change without notice. Subject to all terms and conditions, the Maximum Annual Benefit under the Co-Pay Program may be applied to out-of-pocket cost for your ENTYVIO prescription, including co-pay, co-insurance or deductible. The Co-Pay Program is for medication costs only and does not include costs to give you your treatment. Subject to all terms and conditions, the Maximum Annual Benefit under the Co-Pay Program is \$20,000 per calendar year. However, except where prohibited by law, if your insurance company or health plan implements a co-pay maximizer program or similar program, you will have a reduced Maximum Annual Benefit of [\$9,000] per calendar year. If your insurance company or health plan removes ENTYVIO from such program, subject to all terms and conditions, you will be eligible for co-pay assistance up to the Maximum Annual Benefit for patients who are not subject to maximizer adjustment or similar programs.

The actual application and use of the benefit available under the co-pay assistance program may vary on a per-claim, monthly, quarterly, and/or annual basis, depending on each individual patient’s health plan and other prescription drug costs.

Patient may not seek reimbursement from any other plan or program (Flexible Spending Account [FSA], Health Savings Account [HSA], Health Reimbursement Account [HRA], etc.) for any out-of-pocket costs covered by the Co-Pay Program. Patient or healthcare provider may be required to submit an Explanation of Benefits (EOB) following each infusion to the Co-Pay Program.

The Co-Pay Program only applies in the United States, including Puerto Rico and other U.S. territories, and does not apply where prohibited by law, taxed, or restricted. This does not constitute health insurance. Void where use is prohibited by your insurance provider or health plan. If your health plan changes you must notify *EntyvioConnect* at 1-844-368-9846. This offer is not transferable and is limited to one offer per person and may not be combined with any other coupon, discount, prescription savings card, rebate, free trial, patient assistance, co-pay maximizer, alternative funding program, co-pay accumulator, or other offer, including those from third parties and companies that help insurers or health plan manage costs. Not valid if reproduced.

By utilizing the Co-Pay Program, you hereby accept and agree to abide by these terms and conditions. Any individual or entity who enrolls or assists in the enrollment of a patient in the Co-Pay Program represents that the patient meets the eligibility criteria and other requirements described herein. You must meet the program eligibility requirements every time you use the program.

IMPORTANT SAFETY INFORMATION

CONTRAINDICATIONS

ENTYVIO is contraindicated in patients who have had a known serious or severe hypersensitivity reaction to ENTYVIO or any of its excipients.

WARNINGS AND PRECAUTIONS

- **Infusion-Related and Hypersensitivity Reactions:** Infusion-related reactions and hypersensitivity reactions including anaphylaxis, dyspnea, bronchospasm, urticaria, flushing, rash, and increased blood pressure and heart rate have been reported. These reactions may occur with the first or subsequent infusions and may vary in their time of onset from during infusion or up to several hours post-infusion. If anaphylaxis or other serious infusion-related or hypersensitivity reactions occur, discontinue administration of ENTYVIO immediately and initiate appropriate treatment.
- **Infections:** Patients treated with ENTYVIO are at increased risk for developing infections. Serious infections have been reported in patients treated with ENTYVIO, including anal abscess, sepsis (some fatal), tuberculosis, salmonella sepsis, *Listeria meningitis*, giardiasis, and cytomegaloviral colitis. ENTYVIO is not recommended in patients with active, severe infections until the infections are controlled. Consider withholding ENTYVIO in patients who develop a severe infection while on treatment with ENTYVIO. Exercise caution in patients with a history of recurring severe infections. Consider screening for tuberculosis (TB) according to the local practice.
- **Progressive Multifocal Leukoencephalopathy (PML):** PML, a rare and often fatal opportunistic infection of the central nervous system (CNS), has been reported with systemic immunosuppressants, including another integrin receptor antagonist. PML typically only occurs in patients who are immunocompromised. One case of PML in an ENTYVIO-treated patient with multiple contributory factors has been reported. Although unlikely, a risk of PML cannot be ruled out. Monitor patients for any new or worsening neurological signs or symptoms that may include progressive weakness on one side of the body or clumsiness of limbs, disturbance of vision, and changes in thinking, memory, and orientation leading to confusion and personality changes. If PML is suspected, withhold dosing with ENTYVIO and refer to neurologist; if confirmed, discontinue ENTYVIO dosing permanently.
- **Liver Injury:** There have been reports of elevations of transaminase and/or bilirubin in patients receiving ENTYVIO. ENTYVIO should be discontinued in patients with jaundice or other evidence of significant liver injury.
- **Live and Oral Vaccines:** Prior to initiating treatment with ENTYVIO, all patients should be brought up to date with all immunizations according to current immunization guidelines. Patients receiving ENTYVIO may receive non-live vaccines and may receive live vaccines if the benefits outweigh the risks.

ADVERSE REACTIONS

The most common adverse reactions (incidence $\geq 3\%$ and $\geq 1\%$ higher than placebo) were: nasopharyngitis, headache, arthralgia, nausea, pyrexia, upper respiratory tract infection, fatigue, cough, bronchitis, influenza, back pain, rash, pruritus, sinusitis, oropharyngeal pain, pain in extremities, and injection site reactions with subcutaneous administration.

DRUG INTERACTIONS

Because of the potential for increased risk of PML and other infections, avoid the concomitant use of ENTYVIO with natalizumab products and with TNF blockers.

INDICATIONS

Adult Ulcerative Colitis (UC):

ENTYVIO is indicated in adults for the treatment of moderately to severely active UC.

Adult Crohn's Disease (CD):

ENTYVIO is indicated in adults for the treatment of moderately to severely active CD.

DOSAGE FORMS & STRENGTHS:

- ENTYVIO Intravenous (IV) Infusion: 300 mg vedolizumab
- ENTYVIO Subcutaneous (SC) Injection: 108 mg vedolizumab

Please click for [Full Prescribing Information](#).

If you are a Colorado prescriber, please see the Colorado WAC [disclosure form](#).

If you are a Connecticut prescriber, please see the Connecticut WAC [disclosure form](#).

©2023 Takeda Pharmaceuticals U.S.A., Inc. [95 Hayden Ave., Lexington, MA 02421.]
1-877-TAKEDA-7 (1-877-825-3327). All rights reserved. TAKEDA and the TAKEDA logo are registered trademarks of Takeda Pharmaceutical Company Limited. The TAKEDA PATIENT SUPPORT logo is a trademark of Takeda Pharmaceutical Company Limited. ENTYVIO and the ENTYVIO logo are registered trademarks of Millennium Pharmaceuticals, Inc.
US-VED-1970v1.0 10/23

